



# VRU

 in line  
check valve

**SPECIFICATIONS**

DIMENSIONS	005	010	015	020	030	040	050	060	070
MAX. PRESSURE BAR	400	400	400	400	350	300	270	250	200
MAX. DISPLACEMENT (CONE) l/min	15	25	25	40	80	110	140	200	300
MAX. DISPLACEMENT (BALL) l/min	-	15	15	28	50	80	-	-	-

**WEIGHT AND DIMENSIONS**

DIMENSIONS	A GAS	A NPT	A SAE	B	C	CH	WEIGHT KG
005	-	-	7/16 - 20	60	21	19	0,10
010	1/4	1/4	-	60	21	19	0,10
015	-	-	9/16 - 18	60	21	19	0,10
020	3/8	3/8	3/4 - 16	66	27	24	0,18
030	1/2	1/2	7/8 - 14	76	33	30	0,31
040	3/4	3/4	11/16 - 12	94	40	36	0,56
050	1	1	15/16 - 12	106	59	45	0,91
060	1 1/4	1 1/4	1 5/8 - 12	123	63	55	1,48
070	1 1/2	1 1/2	1 7/8 - 12	138	74	65	2,37

**ITEM CODE**

<b>VRU</b>						
	<b>G</b> GAS				<b>C</b> CONE	
	<b>N</b> NPT				<b>S</b> BALL	
	<b>S</b> SAE					<b>1</b> SPRING 0,5
		<b>GAS</b>	<b>NPT</b>	<b>SAE</b>		<b>4</b> SPRING 4
		<b>005</b>	-	-	7/16 - 20	<b>8</b> SPRING 8
		<b>010</b>	1/4	1/4	-	
		<b>015</b>	-	-	9/16 - 18	
		<b>020</b>	3/8	3/8	3/4 - 16	
		<b>030</b>	1/2	1/2	7/8 - 14	
		<b>040</b>	3/4	3/4	11/16 - 12	
		<b>050</b>	1	1	15/16 - 12	
		<b>060</b>	1 1/4	1 1/4	1 5/8 - 12	
		<b>070</b>	1 1/2	1 1/2	1 7/8 - 12	